



Spick n Clean Products Pty. Ltd.

PO Box 116, Padstow NSW 2211

14, Horsley Road, Revesby NSW 2212

Australia

ABN : 89 120 573 935

Tel.: 61 2 97710737

Fax : 61 2 97713881

Email : srkabra@bigpond.com

www.spicknclean.com.au

PAVERTREND™ - COMPATIBILITY

PRODUCT SAFETY

- Non – Flammable
- Non – Corrosive
- Non – Carcinogenic (cancerous)



COMPATIBILITY

- Compatible with Ferrous, Non-Ferrous metals and their alloys. not compatible with lead, cadmium, zinc and alloys containing high levels of these metals. Suitable substitutes for these materials are available and should be used.

non-ferrous
& ferrous metals



- Compatible with rubber, hydraulic seals, O-rings & special plastics. However, we recommend Viton seals & O-rings





Spick n Clean Products Pty. Ltd.

PO Box 116, Padstow NSW 2211
14, Horsley Road, Revesby NSW 2212
Australia

ABN : 89 120 573 935

Tel.: 61 2 97710737

Fax : 61 2 97713881


Email : srkabra@bigpond.c

www.spicknclean.com.au

- Compatible with most paints and coatings - especially with epoxy coatings. Not compatible with zinc-based coatings. Refer coating manufacturers directly.



- Will not damage debonding agents like bituminous emulsion hardener, binder hardener, silicon, high cutter oil, Geotextile, Reinforced seal etc.




However, care should be taken by trying a small portion with Pavertrend™

SLOW EVAPORATION

When spilled on fresh asphalt mat – does not cause voids, seed potholes & rutting. Just hose with water.

Evaporates 50% in seven days and balance biodegrades.



**Spick n Clean Products Pty. Ltd.**

PO Box 116, Padstow NSW 2211
14, Horsley Road, Revesby NSW 2212
Australia

ABN : 89 120 573 935

Tel.: 61 2 97710737

Fax : 61 2 97713881

Email : srkabra@bigpond.com

www.spicknclean.com.au

WORK SAFETY

Storage	-10°C to 50°C
Shelf Life:	One year from the date of supply
Gloves:	Gloves recommended.
Eyes:	Safety glasses recommended
Swallowed:	Do not induce vomiting
Fumes, Odour & Emissions:	Nil
Disposable Cost:	Nil
Material is 99% Biodegradable	
Mild caustic (pH > 9) may be used to clean residual product.	

HMIS Rating: Health: 0 Fire: 1 Reactivity: 0
(Hazard Materials Identification System)

ENVIRONMENT SAFETY

**Soil:**

Evaporates 50% in seven days and balance biodegrades. What does not biodegrade will return to a solid state, so it cannot seep down into the water table and pollute the waters.

Pavertrend™:

Does not harm Aquatic or Marine life. However, excessive spillage should be avoided.



Spick n Clean Products Pty. Ltd.

PO Box 116, Padstow NSW 2211
14, Horsley Road, Revesby NSW 2212
Australia

ABN : 89 120 573 935

Tel.: 61 2 97710737

Fax : 61 2 97713881

Email : srkabra@bigpond.com

www.spicknclean.com.au

LEGAL SAFETY



Australian Government

Department of the Environment



- Meets EPA pollution act
- Meets worker's safety
- Meets insurance requirements
- Meets transportation criteria
- Meets operation cost
- Meets environmental issues.

PAVERTREND™

Increases productivity & decreases maintenance cost.

